



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2011-10-021
Expiration Date 7 OCT 2012

TO: Center for Disease Detection, LLC.
11603 Crosswinds Way, Ste 100
San Antonio, TX 78233



DO NOT OPEN IN TRANSIT
BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2011-10-021
Expiration Date 7 OCT 2012

TO: Center for Disease Detection, LLC.
11603 Crosswinds Way, Ste 100
San Antonio, TX 78233



DO NOT OPEN IN TRANSIT
BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2011-10-021
Expiration Date 7 OCT 2012

TO: Center for Disease Detection, LLC.
11603 Crosswinds Way, Ste 100
San Antonio, TX 78233



DO NOT OPEN IN TRANSIT
BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2011-10-021
Expiration Date 7 OCT 2012

TO: Center for Disease Detection, LLC.
11603 Crosswinds Way, Ste 100
San Antonio, TX 78233



DO NOT OPEN IN TRANSIT
BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00