



Dear Laboratory Director:

Attached below is your clinical laboratory license.
Your license is void after the expiration date below.

Expiration Date: JANUARY 18, 2010

CENTER FOR DISEASE DETECTION
3370 NACOGDOCHES RD STE # 100
SAN ANTONIO, TX 78217

DISPLAY:

State law requires that the clinical laboratory license shall be conspicuously posted in the clinical laboratory.

**CHANGE OF LABORATORY NAME,
DIRECTOR, OWNER AND/OR ADDRESS:**

State law requires that you notify this office **WITHIN 30 DAYS** of any change in ownership, name, location or laboratory directors. **YOUR LICENSE ALSO WILL BE AUTOMATICALLY REVOKED 30 DAYS AFTER A MAJOR OWNER AND/OR DIRECTOR CHANGE OCCURS.** Mail written notification of the above changes to the address indicated below:

California Department of Public Health
Laboratory Field Services, Facility Licensing Section
850 Marina Bay Parkway, Building P, 1st Floor
Richmond, CA 94804-6403

Thank you for your cooperation.

Labclin 11/28/07
Tear Here

Tear Here

State of California Department of Public Health
Clinical Laboratory License

In accordance with the provisions of Chapter 3, Division 2 of the Business and Professions Code, the persons named below are hereby issued a license authorizing operation of a clinical laboratory at the indicated address (or other site(s) on file with the department).


CENTER FOR DISEASE DETECTION
3370 NACOGDOCHES RD STE # 100
SAN ANTONIO, TX 78217

OWNER(S):

CARLOS ROCA

DIRECTOR(S):

DEAN SKELLEY PHD



CLIA Number: 45D0680475
Lab ID Number: COS 800089
Effective Date: JANUARY 19, 2009
Valid Until: JANUARY 18, 2010

Karen L Nickel

Karen L. Nickel, Chief
Laboratory Field Services