



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2009-10-148

Expiration Date 06 NOV 2010

TO: Center for Disease Detection, LLC.
3370 Nacogdoches, STE 100
San Antonio, TX 78217



DO NOT OPEN IN TRANSIT

BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2009-10-148

Expiration Date 06 NOV 2010

TO: Center for Disease Detection, LLC.
3370 Nacogdoches, STE 100
San Antonio, TX 78217



DO NOT OPEN IN TRANSIT

BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2009-10-148

Expiration Date 06 NOV 2010

TO: Center for Disease Detection, LLC.
3370 Nacogdoches, STE 100
San Antonio, TX 78217



DO NOT OPEN IN TRANSIT

BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00



IMPORTATION OR TRANSFER AUTHORIZED BY

PHS Permit No. 2009-10-148

Expiration Date 06 NOV 2010

TO: Center for Disease Detection, LLC.
3370 Nacogdoches, STE 100
San Antonio, TX 78217



DO NOT OPEN IN TRANSIT

BIOMEDICAL MATERIALS
ETIOLOGICAL AGENTS OR VECTORS

NOTICE TO CARRIER: If inspection on arrival in U.S. reveals evidence of damage or leakage, immediately notify: Director, Centers for Disease Control and Prevention (CDC), Atlanta, Georgia 30333 – Telephone 404-633-5313.

CDC 0.1007 9/00